

DRUGS

WON'T GIVE YOU

WINGS



**PIPE
DOWN**

**HEROIN
FENTANYL
CODEINE
OXYCODONE
HYDROCODONE
METHAMPHETAMINE
MORPHINE
COCAINE**


**SIERRA
COUNTY**

HELP END OPIOID ABUSE

Pipe Down

or

Lights Out



**HELP SIERRA COUNTY
END OPIOID ABUSE**





PIPE DOWN

SIERRA COUNTY

**HELP SIERRA COUNTY
END OPIOID ABUSE**

**HEROIN
FENTANYL
CODEINE
OXYCODONE
HYDROCODONE
METHAMPHETAMINE
MORPHINE
COCAINE**

Save a Life



Signs of an overdose

- Unresponsive
- Slowed breathing
- Lips and nails are blue
- Pupils are small
- Extreme drowsiness/Unable to wake up

How you can help

- Call 911 immediately
- Call for help from a near by adult
- Stay with the individual until help arrives
- Narcan/Naloxone is available on every SRCS Campus

Narcan/ Naloxone

- Is a non addictive, life saving medication that can reverse an overdose from opioids, including Fentanyl.




OPIOIDS DECEIVE, DON'T BE NAIVE

Between 2014 and 2018, Guadalupe County, experienced a drug overdose death rate of approximately 50 deaths per 100,000 population. In 2023, the opioid dispensing rate was 49.2 prescriptions per 100 people.

Deaths due to Drug Overdose by Year, New Mexico and U.S

Statistics

In New Mexico, thousands of people have died from overdoses as a result of prescription opioid use.



Examples

Addictive drugs and opioids include:

Fentanyl

Alcohol

Nicotine

Marijuana

Oxycodone

Heroin

Short-Term Effects

People who use prescription opioids can feel relaxed and happy, but also experience drowsiness, confusion, nausea, constipation, and slow breathing.

Long-Term Risks

Studies show that the continued misuse of opioids can increase one's likelihood of developing an anxiety disorder and/or depression.



Call **988** if you or a loved one is struggling with addiction



Pledge

Santa Rosa Consolidated Schools pledges to become more educated about opioids, their addictive nature and where to look for help in our community.